



Technical Guide



QUICKCAB Standard Carcasses

Please Note: The information shown in this literature is accurate as at the date of print/release shown on such information but it may be subject to changes after such date. Please therefore ensure that you are viewing the most current product available and check with us if you have any doubt about the suitability of the product or accuracy of the information shown.

IMPORTANT PLEASE NOTE:

The information contained in this literature is for illustrative purposes only to assist in choosing your desired kitchen. While we endeavour to keep the information up to date and correct we do not make any representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability and suitability of the doors and products that appear in this literature.

We aim to showcase as many different items as possible and therefore some products have been installed and photographed purely to show as many of our product features as possible and they should not be taken as an example of how they are intended to be installed in real kitchen installations.

It is therefore the responsibility of the installer to check the corresponding manufacturer's installation information and the manufacturer's technical information to ensure this is up to date and to ensure that the products can be fitted in a way they are displayed and the products are suitable for your requirements.

We specifically exclude any liability in this regard unless the products are fitted in accordance with the specifications we supply and the manufacturer's installation recommendations are used in a way recommended by the manufacturer and in accordance with the manufacturer's technical information provided.

The information shown in this literature is accurate as at the date of print/release shown on such information but it may be subject to changes after such date. Please therefore ensure that you are viewing the most current product information available and check with us if you have any doubt about the suitability of the product or accuracy of the information shown.

We are proud that all our products that we sell are covered by a statutory warranty but this does not stop all our products naturally ageing overtime. As a result of this natural ageing process we are therefore unable to provide an identical colour finish to the existing products you have purchased from us with any products that we supply you from the same product line. In such event our liability will be limited to the purchase price paid for the product you are seeking to replace.


Due to the limitations on photographic reproduction, colours may differ slightly from the actual products shown. Please note that board matches listed with the doors are a suggestion only and better board matches may be available on the market. It is up to the individual to decide on its suitability.

Quickcab Carcasses Features

View Quickcab installation video:
www.tkc.co.uk/quickcab_video


Solid 18mm back panel

on base units for strength and rigidity




100mm cross rail

for added stability & practicality




2mm PVC leading edging*

for high impact resistance




Pre-drilled drawer holes

for drawerline, 2 drawer pack & 3 drawer pack




Variable shelf position

with metal studs for easy repositioning



150mm adjustable legs

to compensate for uneven floors




* All Quickcab units have a 2mm leading edge on shelves, except for curved units where the radius does not allow this edging to be used. For these items the edging will be 0.8mm ABS tape. All other exposed leading edges will be a 0.4mm melamine edge.

Quickcab Carcasses


Product Overview

View Quickcab installation video:
www.tkc.co.uk/quickcab_video

BASE, APPLIANCE & LARDER UNITS



WALL UNITS



DIMENSIONS

UNIT TYPE	HEIGHT	EXTERNAL DEPTH	BACK THICKNESS	VOID AT BACK
Base Units				
Belfast Base Units	455/495mm	560mm	18mm	41mm
Standard Base Units	720mm	560mm	18mm	41mm
Curved Base	720mm	300mm	18mm	N/A
Wall Units				
Bridging Units	288/360mm	300mm	8mm	N/A
Standard Wall Units	720mm	300mm	8mm	N/A
Tall Wall Units	900mm	300mm	8mm	N/A
Dresser Units	1210mm	300mm	8mm	N/A

UNIT TYPE	HEIGHT	EXTERNAL DEPTH	BACK THICKNESS	VOID AT BACK
Full Height Units				
Appliance / Larder	1970mm	560mm	8mm	32mm
Curved Full Height	1970mm	300mm	18mm	N/A
Extra Tall Appliance / Larder	2150mm	560mm	8mm	32mm


ADDITIONAL INFORMATION

- All back panels and centre posts are MFC.
- Gables marked for hinges, 100mm hinges.
- All carcasses are supplied without drawers, apart from Smartlarder Complete.
- Includes 5mm colour co-ordinated cover caps

Robust cam & dowel technology
for the strength of rigid



Simple screwdriver fixing
Simply push panels in position and lock in place with screwdriver




QUICKCAB COLOURS

Price Group 1



WHITE

Prefix code: 184
Board Colour:
Egger W980



Price Group 2



LIGHT GREY

Prefix code: 187
Board Colour: Egger U708



DUST GREY

Prefix code: 185
Board Colour: Egger U732



OAK

Prefix code: 186
Board Colour: Egger H3368

PACK CONTENTS & ASSEMBLY All fittings pre-inserted.



**build
time**




**The strength
of rigid in
2 minutes!**



View our Quickcab video for
more assembly instructions:
www.tkc.co.uk/tkc-videos




Curved Base Unit 720mm




- External curved unit
- Includes 1 shelf
- Legs not supplied with curved base unit
Legs can be purchased separately.

Height: 720mm
Depth: 300mm
Back: 18mm



Code	Description
XXXRADIUS	Radius unit
XXXRADIUSCART	Cartmel & Stratto radius unit (for Cartmel & Stratto doors)
XXXBASE260	Base unit 260mm (w) x 300mm (d), for use with Radius Unit

Belfast Base Unit 455/495mm




- For use with Belfast Sink
- 455mm height suitable for 450 x 596mm door
- 495mm height suitable for 490 x 596mm door
- 800mm width suitable for 2 x 495 x 396mm door

Height: 455mm/495mm
Width: 600mm
Depth: 560mm


Code	Description
XXXBELFAST455	Belfast base unit, 600mm (w) x 455mm (h)
XXXBELFAST495	Belfast base unit, 600mm (w) x 495mm (h)

L Shaped Corner Base Unit 720mm



- Includes 1 shelf

Height: 720mm
Size: 930 x 930mm
Back: 18mm




Code	Description
XXXCBASE930	L shaped corner base unit, 900 x 900mm

BASE UNITS

○ Price Group 1: White
●●● Price Group 2: Light Grey, Dust Grey & Oak

SINGLE BASE UNIT 720mm




- Includes 1 shelf
- Can be converted into a drawer unit
(comes pre-drilled for drawer line, 2 drawer pack & 3 drawer pack)
- Drawer packs sold separately
(Nb. 150, 350 & 450mm drawer packs not available)

Height: 720mm • Depth: 560mm • Back: 18mm

Code	Description	Price Group 1	Price Group 2
XXXBASE150	Base unit, 150mm		
XXXBASE300	Base unit, 300mm		
XXXBASE350	Base unit, 350mm		
XXXBASE400	Base unit, 400mm		
XXXBASE450	Base unit, 450mm		
XXXBASE500	Base unit, 500mm		
XXXBASE600	Base unit, 600mm		

DOUBLE BASE UNIT 720mm




- Includes 1 shelf & centre post
- Can be converted into a drawer unit
(comes pre-drilled for drawer line, 2 drawer pack & 3 drawer pack)
- Drawer packs sold separately
(Nb. 700mm drawer packs not available)
- Converted into a corner base using blanking panel

Height: 720mm • Depth: 560mm Back:18mm

Code	Description	Price Group 1	Price Group 2
XXXBASE700	Base unit, 700mm		
XXXBASE800	Base unit, 800mm		
XXXBASE900	Base unit, 900mm		
XXXBASE1000	Base unit, 1000mm		
XXXBLANKPANEL	Blanking panel, 720mm(h) x 500mm(w)		

UNDER OVEN HOUSING UNIT 720mm



- Includes 1 fixed shelf
- Open back

Height: 720mm


Depth: 560mm

Code	Description	Price Group 1	Price Group 2
XXXUOH600	Under oven housing unit, 600mm		

TALL WALL UNITS

● Price Group 1: White
●● Price Group 2: Light Grey, Dust Grey & Oak

TALL SINGLE WALL UNIT 900mm




- Includes 2 shelves

Height: 900mm
Depth: 300mm

Code	Description	Price Group 1	Price Group 2
XXXTWALL300	Tall wall unit, 300mm	■	■
XXXTWALL400	Tall wall unit, 400mm	■	■
XXXTWALL450	Tall wall unit, 450mm	■	■
XXXTWALL500	Tall wall unit, 500mm	■	■
XXXTWALL600	Tall wall unit, 600mm	■	■

TALL DOUBLE WALL UNIT 900mm




- Includes 2 shelves & centre post

Height: 900mm
Depth: 300mm

Code	Description	Price Group 1	Price Group 2
XXXTWALL800	Tall wall unit, 800mm	■	■
XXXTWALL900	Tall wall unit, 900mm	■	■
XXXTWALL1000	Tall wall unit, 1000mm	■	■

TALL SPLAY CORNER WALL UNIT 900mm




- Includes 2 shelves
- Suitable for a 395mm (w) door

Height: 900mm
Size: 600 x 600mm

Code	Description	Price Group 1	Price Group 2
XXXTDWALL600	Tall splay corner wall unit, 600 x 600mm	■	■

TALL L SHAPED CORNER WALL UNIT 900mm




* Opening sizes including gable

- Includes 2 shelves
- Suitable for 2 x 296mm (w) x 895mm (h) doors, please see individual door ranges for availability. TCWALL 630 also requires TCWALLCPOST from the chosen door range.

Height: 900mm
Size: 630 x 630mm


Code	Description	Price Group 1	Price Group 2
XXXTCWALL630	Tall L shaped corner wall, 630 x 630mm		

TALL CURVED WALL UNIT 900mm



- External curved unit
- Includes 2 shelves


Height: 900mm
Depth: 300mm



Code	Description	Price Group 1	Price Group 2
XXXTRADIUS	Tall radius unit WSL*		
XXXTRADIUSCART	Tall Cartmel radius unit (for Cartmel curved doors) WSL*		

* While Stocks Last

DRESSER UNIT 1210mm



- 2 drawer dresser unit (Nb. not suitable for 1 drawer units)
- Includes 2 shelves (Glass shelves can be purchased separately, see end of Cabinets setcion)
- Suitable for 895mm height door & 2 x 140mm height drawer fronts
- Dresser drawer packs (270mm depth) sold separately


Height: 1210mm
Depth: 300mm

Code	Description	Price Group 1	Price Group 2
XXXDRESS500	Dresser unit, 500mm		
XXXDRESS600	Dresser unit, 600mm		

FULL HEIGHT UNITS

Price Group 1: White
Price Group 2: Light Grey, Dust Grey & Oak

APPLIANCE UNIT 1970mm



Fridge/freezer unit


Double oven housing unit

- Multi purpose unit
- Supplied with gable ends, back and a shelf pack
- Includes top and bottom, 3 fixed shelves and 1 floating shelf

Height: 1970mm
Depth: 560mm

Code	Description	Price Group 1	Price Group 2
XXX TALL600	Appliance unit, 600mm		

LARDER UNIT 1970mm




- Supplied with gable ends, back and a shelf pack
- Includes top and bottom, 3 fixed shelves and 1 floating shelf to cover multiple configurations

Height: 1970mm
Depth: 560mm
Back: 8mm

Code	Description	Price Group 1	Price Group 2
XXX LARDER300	Larder unit, 300mm		
XXX LARDER400	Larder unit, 400mm		
XXX LARDER500	Larder unit, 500mm		
XXX LARDER600	Larder unit, 600mm		


LARDER UNIT/CORNER LARDER UNIT 1970mm



LARDER1000
Larder unit, 1000mm

- 1000mm wide larder unit supplied with gable ends, back panels, shelf pack & centre post
- Shelf pack includes top and bottom and 4 fixed shelves
- Corner Larder also includes 500mm wide blanking panel


Width: 1000mm
Height: 1970mm
Depth: 560mm
Back: 8mm



CLARDER1000
Corner Larder unit, 1000mm

Code	Description	Price Group 1	Price Group 2
XXX LARDER1000	Larder unit, 1000mm		
XXX CLARDER1000	Corner larder unit (including blanking panel), 1000mm		

DIAGONAL CORNER LARDER UNIT 1970mm



- D shaped walk in corner larder
- Includes 2120mm height gable ends, back, top and base panels, 8 fixed shelves, full height wine rack & internal plinths
- To suit 396mm wide doors (2 x 715mm + 1245mm height or 2 x 1970mm height)

Width: 1144 x 1144mm
Height: 1970mm (gable ends 2120mm)
Depth: 560mm
Back: 8mm




Code	Description	Price Group 1	Price Group 2
XXX DIAGLARDER	Diagonal corner larder, 1144 x 1144mm		

FULL HEIGHT UNITS

○ Price Group 1: White
●●● Price Group 2: Light Grey, Dust Grey & Oak

BUTLERS PANTRY, OAK 1970mm



- Available in oak finish only
- Supplied in two sections with gable ends, back panels, shelf packs, 3 x drawer fronts & 3 x drawer packs. Spice racks sold separately.
- Shelf packs includes top and bottom shelves, 4 fixed shelves for top section and 2 fixed shelves for bottom section.
- Top section has a removable base which can be replaced with a worktop to match the rest of the kitchen.



Door mounted oak spice rack, sold

Cabinet width: 1000mm
Cabinet height: 1970mm
Cabinet depth: 560mm
Cabinet back: 8mm


Drawer specifications: 600mm width, dark grey finish, FIRA quality tested & certified, 40kg capacity, soft close action. Comes complete with drawer sides, runners, base panel, back panel & fittings.

Spice rack specifications: Sold separately in singles, 4 shelves per rack, lacquered solid oak, 1000mm height, 400mm width, 92mm depth.



Code	Description	List Price
186BUTLER	Butlers pantry unit, oak, 1000mm	■■■■■
186SPICERACK	Spice rack, oak, sold in singles	■■■■■

DRAWER LARDER UNIT 1970mm




- Supplied in two sections
- Top section supplied with gable ends, back, top and base panels, 2 fixed shelves and centre post. To suit 2 x 1245mm (h) x 496mm (w) doors
- Bottom section supplied with gable ends, back and base panel. Comes pre-drilled for drawer line, 2 drawer pack & 3 drawer pack. To suit 996mm (w) drawers, alternatively 2 x 715mm (h) x 496mm (w) doors.
- Bottom section also includes cross rail, floating shelf and centre post, these can be discarded if not needed.
- Drawer packs sold separately


Width: 1000mm

Code	Description	Price Group 1	Price Group 2
XXX DRWLARDER	Drawer larder unit, 1000mm	■■■■■	■■■■■

CURVED FULL HEIGHT UNIT 1970mm



- Includes 5 shelves
- Use with 1245mm (h) and 715mm (h) curved doors. See individual door ranges for availability.




Height: 1970mm
Depth: 300mm
Back: 18mm

Code	Description	Price Group 1	Price Group 2
XXX ETRADIUS	1970mm tall radius unit WSL*		
XXX ETRADIUSCART	1970mm tall Cartmel radius unit, for use with Cartmel curved doors WSL*		
XXX ETBASE260	1970mm tall unit, 260mm (w), for use with tall radius unit WSL*		

* While Stocks Last

SMARTLARDER TOPSLIDE COMPLETE 1970mm



TOPSLIDE[®]
INTERNATIONAL

Includes cabinet, 5 boxed internal drawers & 1 fixed shelf

Drawer specifications:
grey finish, soft closing, 40kg capacity/drawer

Cabinet height: 1970mm

Cabinet depth: 560mm

Cabinet back: 8mm

Fascia panel cutting dimensions:
Internal cabinet width - 97mm


Front rail cutting dimensions:
Internal cabinet width - 63mm

PACK CONTENTS:

- Larder Unit, 1970mm x 1
- Topslide boxed shallow drawer & internal bracket, 83mm (h) x 1
- Topslide boxed pan drawer, glass conversion kit & internal bracket, 224mm (h) x 4
- Topslide internal fascia panel, 1100mm length x 3 (need cutting to size)
- Topslide square front rail, 1100mm length x 2 (need cutting to size)
- Silence 165° soft close hinge & Euro 18mm hinge plate x 4

Code	Description	Price Group 1	Price Group 2
XXX SL50G	SmartLarder Topslide complete, 500mm		

SMARTLARDER PROSLIDE COMPLETE 1970mm **NEW**



PROSLIDE

Includes cabinet, 5 internal Proslide drawers, 1 x 95mm (h) shallow drawer & 4 x 178mm (h) pan drawers

Drawer specifications:
Anthracite finish, soft closing, 40kg capacity/drawer

Cabinet height: 1970mm

Cabinet depth: 560mm

Cabinet back: 8mm

Fascia panel cutting dimensions:
Internal cabinet width - 97mm

Front rail cutting dimensions:
Internal cabinet width - 63mm

PACK CONTENTS:


- 1 x 95mm (h) Proslide boxed shallow drawer & internal brackets
- 4 x 178mm (h) Proslide boxed pan drawers & internal brackets
- 3 x Proslide internal fascia panels, 1100mm length*
- 2 x Proslide square front rails, 1100mm length*
- 4 x Titus 170° soft close hinges &
- Euro 18mm hinge plates

Code	Description	Price Group 1	Price Group 2
XXX SL50GDR	SmartLarder Proslide complete, 500mm		

EXTRA TALL FULL HEIGHT UNITS

● Price Group 1: White
●● Price Group 2: Light Grey, Dust Grey & Oak

EXTRA TALL APPLIANCE UNIT 2150mm



Fridge/freezer unit

Double oven housing unit


- Multi purpose unit
- Supplied with gable ends, back and a shelf pack
- Includes top and bottom, 3 fixed shelves and 1 floating shelf to cover multiple configurations

Height: 2150mm

Depth: 560mm

Code	Description	Price Group 1	Price Group 2
XXXTTALL600	Extra tall appliance unit, 600mm		

EXTRA TALL LARDER UNIT 2150mm



- Supplied with gable ends, back and a shelf pack
- Includes top and bottom, 3 fixed shelves and 1 floating shelf to cover multiple configurations

Height: 2150mm

Depth: 560mm

Code	Description	Price Group 1	Price Group 2
XXXTLARDER300	Extra tall larder unit, 300mm		
XXXTLARDER400	Extra tall larder unit, 400mm		
XXXTLARDER500	Extra tall larder unit, 500mm		

Please note: For Extra Tall Larder Unit 600mm use Extra Tall Appliance Unit (code: XXXTTALL600)


CABINET ACCESSORIES

○ Price Group 1: White
●●● Price Group 2: Light Grey, Dust Grey & Oak

IFA UNDER SINK DRIP TRAY for cabinet protection

- Aluminium under sink cabinet protection
- Available for 600mm, 800mm and 1000mm cabinet widths
- Includes cut out for 800mm and 1000mm cabinet centre posts

Code	Description	Depth	Width	List Price
69TRAY60	IFA under sink drip tray, 600mm cabinet	500mm	564mm	■■■
69TRAY80	IFA under sink drip tray, 800mm cabinet	500mm	764mm	■■■
69TRAY10	IFA under sink drip tray, 1000mm cabinet	500mm	964mm	■■■



GLASS SHELVES

- 6mm toughened clear glass
- 240mm deep
- To suit wall cabinets with 500/600mm external width, 300mm external depth and 18mm gable ends



Code	Description	1-9	10-19	20+
15GLASS500	Glass shelves, for 500mm wall cabinet - sold as pair	■■■	■■■	■■■
15GLASS600	Glass shelves, for 600mm wall cabinet - sold as pair	■■■	■■■	■■■




CABINET ACCESSORIES

○ Price Group 1: White
●●● Price Group 2: Light Grey, Dust Grey & Oak

IFA UNDER SINK DRIP TRAY for cabinet protection

- Aluminium under sink cabinet protection
- Available for 600mm, 800mm and 1000mm cabinet widths
- Includes cut out for 800mm and 1000mm cabinet centre posts

Code	Description	Depth	Width	List Price
69TRAY60	IFA under sink drip tray, 600mm cabinet	500mm	564mm	■■■
69TRAY80	IFA under sink drip tray, 800mm cabinet	500mm	764mm	■■■
69TRAY10	IFA under sink drip tray, 1000mm cabinet	500mm	964mm	■■■



GLASS SHELVES

- 6mm toughened clear glass
- 240mm deep
- To suit wall cabinets with 500/600mm external width, 300mm external depth and 18mm gable ends




Code	Description	1-9	10-19	20+
15GLASS500	Glass shelves, for 500mm wall cabinet - sold as pair	■■■	■■■	■■■
15GLASS600	Glass shelves, for 600mm wall cabinet - sold as pair	■■■	■■■	■■■




Cambridge Oak with 500mm Glass Shelves

Curved Full Height Unit 1970mm




- Includes 5 shelves
- Use with 1245mm curved door and 715mm curved door

Height: 1970mm
Depth: 300mm
Back: 18mm



Code	Description
XXXETRADIUS	1970mm tall radius unit
XXXETRADIUSCART	1970mm tall Cartmel radius unit
XXXETBASE260	1970mm tall unit, 260mm (w), for use with tall radius unit

SmartLarder Complete 1970mm



- Includes cabinet, 5 boxed internal drawers & 1 fixed shelf
- Drawer specifications: grey finish, soft closing, 40kg capacity/drawer

Cabinet Height: 1970mm
Cabinet Depth: 560mm
Cabinet Back: 8mm

Fascia panel cutting dimensions:
 Internal cabinet width - 97mm

Front rail cutting dimensions:
 Internal cabinet width - 63mm

PACK CONTENTS:


- Larder Unit (1970mm) x 1
- Topslide boxed shallow drawer & internal bracket (83mm) x 1
- Topslide boxed pan drawer, glass conversion kit & internal bracket (224mm) x 4
- Topslide internal fascia panel, 1100mm length x 3 (need cutting to size)
- Topslide square front rail, 1100mm length x 2 (need cutting to size)
- Silence 165° soft close hinge & Euro 18mm hinge plate x 4

Code	Description
XXXSL50G	SmartLarder complete, 500mm
XXXSL60G	SmartLarder complete, 600mm


DOOR CONFIGURATIONS

All dimensions shown in mm.


CORNER BASE UNITS




Base Unit: 800mm (w)
Door size: 396mm (w) x 715mm (h)
Blanking panel: 500mm (w), can be cut to size




Base Unit: 900mm (w)
Door size: 446mm (w) x 715mm (h)
Blanking panel: 500mm (w), can be cut to size



Base Unit: 1000mm (w)
Door size: 496mm (w) x 715mm (h)
Blanking panel: 500mm (w), can be cut to size



Base Unit: 1000mm (w)
Door size: 596mm (w) x 715mm (h)
Blanking panel: 500mm (w), can be cut to size



Base Unit: 930 x 930mm L-shape
Door size: 2 x 296mm (w) x 715mm (h)
Hinges: Unit comes with 170° hinges, each door is hinged independently on the gable.

* PLEASE NOTE:

Dimensions are based on 70 x 70mm Vivo slab corner post. Corner post sizes vary between ranges which affects the size of the required distance from wall to end of corner cabinet. Please make sure the distance is adjusted to reflect the size of the corner post for the specific door range.



Eg. Lucente J-pull corner posts are 60 x 60mm which means distance from wall to end of corner cabinet is 10mm shorter.

Void is covered by the worktop after installation.

Guide to LH / RH corner wirework units

Units are 'handed' by the side the door is on.


Doors are hinged on the side that the blanking panel is on (applies to Combi pull out shelves).




DOOR CONFIGURATIONS

All dimensions shown in mm.


CORNER WALL UNITS



Wall Unit: 630 x 630mm L-shape
Door size: 2 x 296mm (w) x 715mm (h)
Hinges: Unit comes with 170° hinges, each door is hinged independently on the gable.




Wall Unit: 600 x 600mm D-shape
Door size: 396mm (w) x 715/895mm (h)




Wall Unit: 600 x 300mm conventional corner
Door size: 296mm (w) x 715mm (h)

CURVED UNIT DOOR CONFIGURATIONS


Medium (1970mm) and tall (2150mm) installation heights



BASE & TALL



WALL



RADIUS

